



Addendum to hard disk drive specifications

Deskstar 120 GXP

3.5 inch Ultra ATA/100 hard disk drive

Models: IC35L020AVVA07
IC35L040AVVA07



Revision 1.0

11 April 2002



Addendum to hard disk drive specifications

Deskstar 120 GXP

3.5 inch Ultra ATA/100 hard disk drive

Models: IC35L020AVVA07
IC35L040AVVA07



Revision 1.0

11 April 2002

1st Edition (Revision 0.1) (28 March 2002) Preliminary
2nd Edition (Revision 0.2) (04 April 2002) Preliminary
3rd Edition (Revision 0.3) (08 April 2002) Preliminary
4th Edition (Revision 0.4) (08 April 2002) Preliminary
5th Edition (Revision 0.5) (10 April 2002) Preliminary
6th Edition (Revision 1.0) (11 April 2002)

The following paragraph does not apply to the United Kingdom or any country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer or express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This publication could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements or changes in any products or programs described in this publication at any time.

It is possible that this publication may contain reference to, or information about, IBM products (machines and programs), programming, or services that are not announced in your country. Such references or information must not be construed to mean that IBM intends to announce such IBM products, programming, or services in your country.

Technical information about this product is available by contacting your local IBM representative or on the Internet at <http://www.ibm.com/harddrive>

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries in writing to the IBM Director of Commercial Relations, IBM Corporation, Armonk, NY 10577.

©Copyright International Business Machines Corporation 2002. All rights reserved.

Note to U.S. Government Users —Documentation related to restricted rights —Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

Table of contents

Addendum to Section 1.0	page 1
Addendum to Section 2.0	page 1
Addendum to Section 3.0	page 2
Addendum to Section 4.0	page 3

This page intentionally left blank.

1.0 General

This document is an addendum to sections 1.0, 2.0, 4.0, and 6.0 of the Deskstar 120GXP hard disk drive specification and furnishes data for the following models when the data differs from data presented in the specification. Refer to the specification for complete information.

- IC35L020AVVA07 (20GB)
- IC35L040AVVA07 (40GB)

2.0 General features

- Data capacities of 20 GB and 40 GB
- Seek time of 8.5 ms in Read Operation (8.2 ms typical without Command Overhead)

4.4.2 Mechanical Positioning

4.4.2.1 Average seek time (without command overhead, including settling)

Command Type	Typical (ms)	Max (ms)
Read	8.2	9.2

4.4.2.2 Full stroke seek (without command overhead, including settling)

Function	Typical (ms)	Max (ms)
Read	14.7	17.7
Write	15.7	18.7

4.4.3 Drive ready time

Power on to ready	Typical (sec)	Maximum (sec)
20 GB & 40 GB models	7	31

6.5.2 Power supply current (typical)

Power supply current of 40 GB and 20 GB models (All values in Amps. RMS)	+5 Volts [mA]		+12 Volts [mA]		Total [W]
	Pop Mean	Std Dev	Pop Mean	Std Dev	
Idle average	310	4	290	33	4.9
Idle ripple (peak-to-peak)	330	18	80	35	
Low RPM Idle	160	5	220	26	3.4
Low RPM Idle ripple	50	6	230	23	
Unload Idle average	150	6	250	30	3.8
Unload Idle ripple	44	4	220	32	
Seek average ¹	370	6	360	31	6.2
Seek peak	600	10	700	50	
Random R/W average ²	460	6	500	24	8.3
Random R/W peak	780	13	1700	130	
Silent R/W average	470	6	360	26	6.7
Silent R/W peak	780	13	700	50	
Start up (max)	730	19	1800	87	
Standby average	160	5	15	1	1.0
Sleep average	150	6	15	1	0.9

Except for a peak of less than 100 μ s duration

¹ Random seeks at 40% duty cycle

² Seek duty = 30%, W/R duty = 45%, Idle Duty = 25%

6.8.4.2 Sinusoidal shock wave

Model	Acceleration level (G)	Duration (ms)
1 disk model	400	2

6.9 Acoustics

Mode	Typical
Idle	3.0
Operating (Quite Seek mode)	3.1

This page intentionally left blank.



© International Business Machines Corporation 2002

www.ibm.com/harddrive

IBM Technology Group Support Center

Telephone: 888.426.5214 or 507.286.5825

Fax: 507.253.3748

E-mail: drive@us.ibm.com

Singapore Technology Group Support Center

Telephone: (65)6418.9595 or 1800.418.9595

E-mail: drive@sg.ibm.com

UK Technology Group Support Center

Telephone: 44.1475.898.125

E-mail: drive@uk.ibm.com

Germany Technology Group Support Center

Telephone: 49.7032.153050

E-mail: drive@de.ibm.com

IBM Storage Systems Division

5600 Cottle Road

San Jose, CA 95193

www.ibm.com/storage

Printed in the United States of America

04-2002

All Rights Reserved

IBM is a registered trademark of International Business Machines Corporation. Other company, product, and service names may be trademarks or service marks of others.

Product description data represents IBM's design objectives and is provided for comparative purposes; actual results may vary depending on a variety of factors. Product claims are true as of the date of the first printing. This product data does not constitute a warranty. Questions regarding IBM's warranty terms or the methodology used to derive this data should be referred to an IBM representative. Data subject to change without notice.

References in this publication to IBM products, programs, or services do not imply that IBM intends to make them available in all countries in which IBM operates.

Document # S07N-8418-00

Publication # 2836
