

Travelstar™ 5K500.B

2.5-INCH HARD DISK DRIVES

HITACHI
Inspire the Next

High-capacity EcoTrac storage for notebook PCs and mobile applications

Highlights

- > Up to 500GB¹ of capacity
- > Lowest power consumption in its class
- > Halogen-free for eco-friendly footprint
- > Serial ATA 3Gb/s
- > Security: Bulk Data Encryption option
- > Enhanced availability (EA) models for applications needing around-the-clock access in lower-transaction environments

Applications

- > Notebook PCs
- > External storage
- > Gaming consoles
- > Small form factor video devices
- > Blade servers (EA)
- > Network routers (EA)
- > Video surveillance (EA)

Features and Benefits

	Feature / Function	Benefits
Capacity	Up to 500GB of storage	Up to 125 hours of high-definition video, 500 hrs of standard video, 178 movies, 125,000 4-min songs or 250 games*
Power	1.4W read/write power 0.5W low power idle	Lowest energy use and long battery life for more “unplugged” notebook time
Reliability	400G operating shock 1000G non-operating shock	Best protection against bumps and rough handling
	Altitude-sensing Thermal Fly-height Control (TFC)	Better soft error rate for improved reliability
	TrueTrack Technology™	Tracking accuracy in high shock or vibration
Performance	Up to 875Mb/s media transfer rate	Excellent application performance in PCMark Vantage testing
Acoustics	Quiet acoustics	Richer audio-listening for music, movies and games
Interface	SATA 3Gb/s	High data throughput
Security Option	Bulk Data Encryption	Helps guard against data theft

*Actual storage may vary depending on the compression rate applied. Capacities may not be combined.



500, 400, 320 250, 160 and 120GB
5400 RPM | SATA 3Gb/s



Reliable, high-capacity storage for mobile applications

Travelstar™ 5K500.B, a 5400 RPM, 250GB/platter, 2.5-inch hard drive with capacities ranging from 120GB to 500GB, is designed for use in notebook PCs, external storage, gaming consoles and other mobile applications. The 5K500.B demonstrates Hitachi's ecological leadership with its halogen-free production and focus on low power consumption, and carries the EcoTrac classification. The 5K500.B elevates hard drive reliability with the industry's first Iterative Detection Read Channel for improved signal processing. Hitachi offers optional hard-drive-level encryption for increased data security and enhanced availability models to deliver high-capacity storage for non-stop environments. Travelstar 5K500.B delivers the balance of capacity, ruggedness and low-power to meet the needs of consumers and commercial users in an eco-friendly footprint.

Encryption option

Travelstar 5K500.B features optional Bulk Data Encryption (BDE) for hard-drive-level data security. With BDE, the data is scrambled using a key as it is written to the disk then descrambled with the key as it is retrieved, giving users the highest level of data protection available. It also speeds and simplifies the drive re-deployment process. By deleting the encryption key, the data is rendered unreadable, thereby eliminating the need for time-consuming data-overwrite.

Enhanced Availability (EA)—for 24x7 access to data

Hitachi provides enhanced availability models that allow the Travelstar 5K500.B to deliver 24x7 access to data for data-intensive applications requiring round-the-clock operation. The 5K500.B provides high capacity, durability and low power utilization on a proven platform for quality and reliability. EA models support the stringent demands of “always-on” applications in lower-transaction environments.

Specifications

Model(s)	Standard Models	BDE Option Models	EA Models
	HTS545050B9A300	HTS545050B9A301	HTE545050B9A300
	HTS545040B9A300	HTS545040B9A301	HTE545032B9A300
	HTS545032B9A300	HTS545032B9A301	HTE545025B9A300
	HTS545025B9A300	HTS545025B9A301	HTE545016B9A300
	HTS545016B9A300	HTS545016B9A301	
	HTS545012B9A300	HTS545012B9A301	

Configuration			
Interface	SATA 3Gb/s	←	←
Capacity (GB) ¹	500 / 400 / 320 // 250 / 160 / 120	←	500 / 320 // 250 / 160
Sector size (bytes)	512	←	←
Recording zones	24	←	←
Data heads	4 / 4 / 3 // 2 / 2 / 1	←	4 / 3 // 2 / 2
Disks	2 / 2 / 2 // 1 / 1 / 1	←	2 / 2 // 1 / 1
Areal density (Gbit/sq.in. max.)	375	←	←
Performance			
Data buffer (MB) ²	8	←	←
Rotational speed (RPM)	5400	←	←
Latency average (ms)	5.5	←	←
Media transfer rate (Mbits/sec, max)	875	←	←
Interface Transfer Rate (MB/sec, max)	300	←	←
Seek time			
Average (typical) ms (read) ³	12	←	←
Track to track (typical) ms (read)	1	←	←
Full stroke (typical) ms (read)	20	←	←
Reliability			
Load / unload cycle	600,000	←	←
Power on hours (POH) per month	N/A	←	730
Availability ⁴	N/A	←	24x7
Power			
Requirement	+5 VDC (+ -5%)	←	←
Dissipation			
Startup (W, peak, max.)	4.5	←	←
Seek (W, avg.)	1.7	←	←
Read / Write (W, avg.)	1.4	←	←
Performance idle (W, avg.)	1.3	←	← Idle (avg.)
Active idle (W, avg.)	0.8	←	N/A
Low power idle (W, avg.)	0.5	←	N/A
Standby (W, avg.)	0.2	←	←
Sleep (W)	0.1	←	←
Physical size			
z-height (mm)	9.5	←	←
Dimensions (width x depth, mm)	70 x 100	←	←
Weight (g, max)	104 // 98	←	←
Environmental (Operating)			
Shock (half-sine wave) (most part numbers)	400G/2ms, 225G/1ms	←	←
Shock (half-sine wave) (part numbers 0Y300xx)	350G/2ms, 200G/1ms	←	←
Ambient temperature	5 to 55° C	←	←
Environmental (Non-operating)			
Shock (half-sine wave)	1000G/1ms	←	←
Acoustics (A-weighted sound power)			
Idle (Bels, typical)	2.4	←	←
Seek (Bels, typical)	2.6	←	←

Hitachi quality and service

Hitachi Travelstar hard disk drives are designed to the highest quality standards and contain field-proven components. Hitachi provides worldwide technical support and integration services to enable global customers to bring their products to market quickly.

How to read the Travelstar model number

HTS545050B9A300 = 500GB, SATA 3Gb/s
 H = Hitachi
 T = Travelstar
 S = Standard (vs E for Enhanced availability)
 54 = 5400 RPM
 50 = Full capacity — 500GB
 50 = Capacity this model, 50 = 500GB
 (40 = 400GB, 32 = 320GB, 25 = 250GB,
 16 = 160GB, 12 = 120GB)
 B = Generation code
 9 = 9.5mm z-height
 A3 = Interface, SATA 3Gb/s
 0 = Reserved
 0 = Feature code, 0 = None (1 = BDE)

Information and Technical Support

www.hitachigst.com (Main Web site)
www.hitachigst.com/partners (Partner Web site)

North America

support_usa@hitachigst.com
 Toll free: 1 888 426-5214, Direct: 1 507 322-2370

Asia Pacific

support_ap@hitachigst.com / 65 6840 9595

EMEA and UK

support_uk@hitachigst.com / 44 20 7133 0032

Germany

support_uk@hitachigst.com / 49 6929 993601

Program Support

Partners First Program
channelpartners@hitachigst.com

¹ One GB is equal to one billion bytes when referring to hard drive capacity. Accessible capacity may be less.

² Upper 736KB out of 8MB used for firmware

³ Excludes command overhead

⁴ Designed for low duty cycle, non mission-critical applications in PC, nearline and consumer electronics environments, which vary from application to application

Hitachi Global Storage Technologies trademarks are authorized for use in countries and jurisdictions in which Hitachi Global Storage Technologies has the right to use, market and advertise the brands. The Travelstar trademark is authorized for use in the Americas, EMEA, and the following Asia-Pacific countries and jurisdictions: Australia, Hong Kong, Japan, New Zealand, South Korea and Taiwan. Contact Hitachi Global Storage Technologies for further information. Hitachi Global Storage Technologies shall not be liable to third parties for unauthorized use of Hitachi Global Storage Technologies trademarks.

References in this publication to Hitachi Global Storage Technologies products, programs, or services do not imply that Hitachi Global Storage Technologies intends to make these available in all countries in which it operates. Some countries have laws that may affect encryption-enabled devices. Hitachi GST assumes no responsibility for compliance with laws that apply to our products after they are sold or outside of our control. Accordingly, we suggest that you review all laws of the countries where you conduct business.

Product specifications provided are sample specifications and do not constitute a warranty. Information is true as of the date of publication and is subject to change. Actual specifications for unique part numbers may vary. Please visit the Support section of our website, www.hitachigst.com/support, for additional information on product specifications. Photographs may show design models.

© 2010 Hitachi Global Storage Technologies

Hitachi Global Storage Technologies
 3403 Yerba Buena Road
 San Jose, CA 95135 USA

Produced in the United States 11/08, rev. 6/10, 11/10.
 All rights reserved.

TrueTrack Technology is a trademark of Hitachi Global Storage Technologies.

The EcoTrac symbol identifies Hitachi hard drives that deliver on the principles of lower operating costs, smaller carbon footprint, safer product disposal and creation of a more sustainable environment.

 **Hitachi Global Storage Technologies**